

TTx

SPECIFICATION AND DESCRIPTION



SPECIFICATION AND DESCRIPTION



UNITS T240-2126 TO TBD

JANUARY 2017

REVISION F

INTRODUCTION

This document is published for the purpose of providing general information for the evaluation of design, performance and equipment of the TTx Model T240. Should more information be required, please contact:

Textron Aviation Inc.

One Cessna Boulevard

Wichita, Kansas 67215

+1.844.44.TXTAV

www.cessna.txtav.com

This document supersedes all previous Specification and Description documents and describes only the TTx Model T240, its powerplant and equipment. Also included are the warranties applicable to the TTx Model T240 aircraft, the Continental Motors TSIO-550-C engine and the installed Garmin avionics. In the event of any conflict or discrepancy between this document and the basic purchase agreement, the basic purchase agreement language shall govern. Due to the time span between the date of this Specification and Description and the scheduled delivery date of the aircraft, Textron Aviation reserves the right to revise the "Specification" whenever occasioned by product improvements, government regulations or other good cause.

January 2017, Revision F

1

TABLE OF CONTENTS

CESSNA TTx SPECIFICATION AND DESCRIPTION

SEC	TION		PAGE		
1.	General Description				
	1.1	Certification	3		
	1.2	Approximate Dimensions	6		
	1.3	Design Weights and Capacities	6		
2.	Perfor	mance	7		
3.	Powerplant & Accessories				
4.	TTx Ec	uipment List	8		
5.	Instrument Panel				
6.	Electrical Power				
7.	Engine Indicating System				
8.	Environmental				
9.	Exterior				
10.	Exterior Lights				
11.	Flight	Controls	11		
12.	Fuel System				
13.	Interio	r	12		
14.	Interior Lighting				
15.	Exterior Striping Options				
16.	Familiarization Training				
17.	Limite	d Warranties	14		
	17.1	Seller's Limited Warranty	14		
	17.2	Aircraft Paint and Graphics	14		
	17.3	McCauley Propeller Systems Standard Limited Warranty	15		
	17.4	OEM Aircraft Engine Warranty	16		
	17.5	Garmin Avionics - Limited Warranty	18		
FIGUR	FIGURE I — CESSNA TTx EXTERIOR DIMENSIONS				
FIGUR	EII — C	ESSNA TTx INTERIOR DIMENSIONS	5		
FIGUR	E III — C	CESSNA TTx INSTRUMENT PANEL	9		

2

3

1. GENERAL DESCRIPTION

1. GENERAL DESCRIPTION

All information herein applies to the TTx Model T240. The TTx Model T240 is a pre-molded, composite built, semi-monocoque, four seat, single engine, low wing, tricycle design airplane. Suitable allowance for luggage is provided.

1.1 CERTIFICATION

The TTx Model T240 is certified to the requirements of U.S. Federal Aviation Regulation Part 23 through amendment 23-46, including day, night, VFR and IFR. The aircraft is approved for flight-into-known-icing when equipped with the appropriate options.

1. GENERAL DESCRIPTION (CONTINUED)






FIGURE I — CESSNA TTX EXTERIOR DIMENSIONS

1. GENERAL DESCRIPTION (CONTINUED)





1. GENERAL DESCRIPTION (CONTINUED)

1.2 APPROXIMATE DIMENSIONS	
Overall Height	9 ft (2.74 m)
Overall Length	25.2 ft (7.68 m)
WING	
Span (overall)	
Area	141.2 ft² (13.1 m²)
CABIN INTERIOR	
Height (maximum)	
Width (maximum)	
Length (firewall to aft limit of baggage compartment)	
CABIN DOOR	
Minimum Entry Width	33 in (83.8 cm)
Minimum Entry Height	33 in (83.8 cm)
Minimum Entry Clearance	46 in (116.8 cm)
BAGGAGE COMPARTMENT	
Maximum Baggage Compartment Width	
Maximum Baggage Compartment Length	52 in (132 cm) (Including shelf)
Maximum Baggage Compartment Length	
Maximum Baggage Compartment Height	
	35 in (87.6 cm)
Maximum Baggage Compartment Height	35 in (87.6 cm)
Maximum Baggage Compartment Height	35 in (87.6 cm)
Maximum Baggage Compartment Height	
Maximum Baggage Compartment Height Maximum Baggage Entry Width 1.3 DESIGN WEIGHTS AND CAPACITIES Maximum Ramp Weight Maximum Takeoff Weight	35 in (87.6 cm) 28 in (71.1 cm) (Diagonal Measurement) 3,600 lb (1,633 kg) 3,600 lb (1,633 kg)
Maximum Baggage Compartment Height	35 in (87.6 cm) 28 in (71.1 cm) (Diagonal Measurement) 3,600 lb (1,633 kg) 3,600 lb (1,633 kg) 3,420 lb (1,551 kg)
Maximum Baggage Compartment Height Maximum Baggage Entry Width 1.3 DESIGN WEIGHTS AND CAPACITIES Maximum Ramp Weight Maximum Takeoff Weight	35 in (87.6 cm) 28 in (71.1 cm) (Diagonal Measurement) 3,600 lb (1,633 kg) 3,600 lb (1,633 kg) 3,420 lb (1,551 kg)
Maximum Baggage Compartment Height Maximum Baggage Entry Width 1.3 DESIGN WEIGHTS AND CAPACITIES Maximum Ramp Weight Maximum Takeoff Weight Maximum Landing Weight	35 in (87.6 cm) 28 in (71.1 cm) (Diagonal Measurement) 3,600 lb (1,633 kg) 3,600 lb (1,633 kg) 3,420 lb (1,551 kg)
Maximum Baggage Compartment Height Maximum Baggage Entry Width 1.3 DESIGN WEIGHTS AND CAPACITIES Maximum Ramp Weight Maximum Takeoff Weight Maximum Landing Weight Standard Empty Weight	35 in (87.6 cm) 28 in (71.1 cm) (Diagonal Measurement) 3,600 lb (1,633 kg) 3,600 lb (1,633 kg) 3,420 lb (1,551 kg) 2,535 lb (1,150 kg) 1,065 lb (483 kg)
Maximum Baggage Compartment Height Maximum Baggage Entry Width 1.3 DESIGN WEIGHTS AND CAPACITIES Maximum Ramp Weight Maximum Takeoff Weight Maximum Landing Weight Standard Empty Weight Maximum Useful Load	35 in (87.6 cm) 28 in (71.1 cm) (Diagonal Measurement) 3,600 lb (1,633 kg) 3,600 lb (1,633 kg) 3,420 lb (1,551 kg) 2,535 lb (1,150 kg) 1,065 lb (483 kg)
Maximum Baggage Compartment Height Maximum Baggage Entry Width 1.3 DESIGN WEIGHTS AND CAPACITIES Maximum Ramp Weight Maximum Takeoff Weight Maximum Landing Weight Standard Empty Weight Maximum Useful Load Baggage Allowance	35 in (87.6 cm) 28 in (71.1 cm) (Diagonal Measurement) 3,600 lb (1,633 kg) 3,600 lb (1,633 kg) 3,420 lb (1,551 kg) 2,535 lb (1,150 kg) 1,065 lb (483 kg) 120 lb (54.4 kg)
Maximum Baggage Compartment Height Maximum Baggage Entry Width 1.3 DESIGN WEIGHTS AND CAPACITIES Maximum Ramp Weight Maximum Takeoff Weight Maximum Landing Weight Standard Empty Weight Maximum Useful Load Baggage Allowance FUEL CAPACITY	35 in (87.6 cm) 28 in (71.1 cm) (Diagonal Measurement) 3,600 lb (1,633 kg) 3,600 lb (1,633 kg) 3,420 lb (1,551 kg) 2,535 lb (1,150 kg) 1,065 lb (483 kg) 120 lb (54.4 kg)
Maximum Baggage Compartment Height Maximum Baggage Entry Width 1.3 DESIGN WEIGHTS AND CAPACITIES Maximum Ramp Weight Maximum Takeoff Weight Maximum Landing Weight Standard Empty Weight Maximum Useful Load Baggage Allowance FUEL CAPACITY Total Capacity	35 in (87.6 cm) 28 in (71.1 cm) (Diagonal Measurement) 3,600 lb (1,633 kg) 3,600 lb (1,633 kg) 3,420 lb (1,551 kg) 2,535 lb (1,150 kg) 1,065 lb (483 kg) 120 lb (54.4 kg) 106 gal (401 L) 102 gal (386 L)
Maximum Baggage Compartment Height Maximum Baggage Entry Width 1.3 DESIGN WEIGHTS AND CAPACITIES Maximum Ramp Weight Maximum Takeoff Weight Maximum Landing Weight Standard Empty Weight Maximum Useful Load Baggage Allowance FUEL CAPACITY Total Capacity Total Useable	35 in (87.6 cm) 28 in (71.1 cm) (Diagonal Measurement) 3,600 lb (1,633 kg) 3,600 lb (1,633 kg) 3,420 lb (1,551 kg) 2,535 lb (1,150 kg) 1,065 lb (483 kg) 120 lb (54.4 kg) 106 gal (401 L) 102 gal (386 L)
Maximum Baggage Compartment Height Maximum Baggage Entry Width 1.3 DESIGN WEIGHTS AND CAPACITIES Maximum Ramp Weight Maximum Takeoff Weight Maximum Landing Weight Standard Empty Weight Maximum Useful Load Baggage Allowance FUEL CAPACITY Total Capacity Total Useable Total Capacity (each tank)	35 in (87.6 cm) 28 in (71.1 cm) (Diagonal Measurement) 3,600 lb (1,633 kg) 3,600 lb (1,633 kg) 3,420 lb (1,551 kg) 2,535 lb (1,150 kg) 1,065 lb (483 kg) 120 lb (54.4 kg) 106 gal (401 L) 102 gal (386 L) 53 gal (201 L)
Maximum Baggage Compartment Height Maximum Baggage Entry Width 1.3 DESIGN WEIGHTS AND CAPACITIES Maximum Ramp Weight Maximum Takeoff Weight Maximum Landing Weight Standard Empty Weight Maximum Useful Load Baggage Allowance FUEL CAPACITY Total Capacity Total Useable Total Capacity (each tank) OIL CAPACITY	35 in (87.6 cm) 28 in (71.1 cm) (Diagonal Measurement) 3,600 lb (1,633 kg) 3,600 lb (1,633 kg) 3,420 lb (1,551 kg) 2,535 lb (1,150 kg) 1,065 lb (483 kg) 120 lb (54.4 kg) 106 gal (401 L) 102 gal (386 L) 53 gal (201 L)

2. PERFORMANCE

All estimated performance data are based on airplane weights at 3,600 pounds; standard atmospheric conditions; level, hard surface, dry runways; and no wind. They are calculated values derived from flight tests under carefully documented conditions and will vary with individual airplanes, pilots, and numerous other factors affecting flight performance.

Service Ceiling	25,000 ft
Takeoff Distance Ground Roll (S.L.)	1,300 ft
Takeoff Distance To Clear 50 ft. Obstacle (S.L.)	1,900 ft
Maximum Climb Rate (S.L., ISA, MTOW)	1,400 fpm
Maximum Cruise Speed (85% at 25,000 ft)	
Economy Cruise Speed (55% at 25,000 ft)	208 kts / 239 mph
Range at Max Cruise Speed (85% at 25,000 ft)	825 nm
Range at Economy Cruise Speed (55% at 25,000 ft)	1,250 nm
Landing Distance Ground Roll (S.L., at Max Landing Weight 3,420 lb)	1,250 ft
Landing Distance To Clear 50 ft. Obstacle (S.L., at Max Landing Weight 3,420 lb)	2,600 ft

3. POWERPLANT & ACCESSORIES

- Continental Motors TSIO-550-C Engine
- 310 HP @ 2600 RPM
- Twin Turbo-Charged / Twin Intercoolers
- Certified for 100LL & 100 Fuel
- Fuel Injection System
- High-Pressure Wet-Sump Oil System
- Oil Cooler
- Dual Intercoolers
- Bleed Air Heat
- Induction Air Filter
- Full Flow Oil Filter
- Throttle Control Vernier
- Mixture Control Vernier
- Propeller Control Vernier
- Dual Ignition System
- Constant Speed, 3 Blade Metal Propeller with Blade Heaters

- Propeller Governor
- Propeller Spinner, Polished
- Electric Starter

4. TTx EQUIPMENT LIST

The following list of equipment is included on the standard aircraft and does not reflect optional equipment.

G2000 Cockpit powered by Garmin

- Remote Digital Audio Panel w/Marker Beacon/Intercom GMA 36
- Touch Screen Controller GTC 570
- Transponder-Mode S, w-Traffic Information System capability and ADS-B out GTC 570
- NAV/COM/GPS/WAAS w/GS #1 GIA 63W
- NAV/COM/GPS/WAAS w/GS #2 GIA 63W
- Primary Flight Display GDU 1400
- Multi-Function Display GDU 1400
- Engine/Airframe Computer GEA 71
- Attitude & Heading Reference System (dual) GRS 77
- Air Data Computer w/OAT Probe GDC 74A
- Magnetometer (dual) GMU 44
- Primary Flight Display Controller GCU 275
- Electronic Checklist
- Autopilot GCU 275
 - Go-Around Switch
 - Electric Trim
 - A/P Disconnect
 - Control Wheel Steering Button
- Auto Flight Controller System GMC 720
- Garmin SafeTaxi & FliteCharts (both provide Geosynchronous Positioning)
- L-3 Trilogy Standby Instrument (digitally displays airspeed, altimeter and attitude) ESI 1000
- Control Stick Push-To-Talk Switch-Pilot/Copilot
- Mic & Phone Jacks-Pilot/Copilot/Passengers (Bose and Standard)
- Antennas:
 - Marker Beacon Antenna
 - Transponder Antenna
 - WAAS/COMM Antenna (1)
 - GPS (1)
 - COMM Antenna (1)
 - NAV Antenna
- Artex Emergency Locator Transmitter ME 406
- Pitot System Heated
- Static System
- Alternate Static Source
- CO Detector/Pulse Oximeter
- Synthetic Vision Technologies (SVT) Garmin Synthetic Vision utilizes GPS-based graphic technology providing virtual depiction of terrain and water features, complete with obstacles and airborne traffic, in 3-D perspective that allows pilots enhanced visual cues and improved situational awareness regardless of meteorological or lighting conditions.
- Electronic Stability Protection (ESP) Garmin Electronic monitoring and exceedance-correcting system that operates in the background, in concert with the autopilot. Assists the pilot in maintaining the aircraft in a safe, flight-stable condition, helping to prevent the onset of stalls/spins, overspeeds, steep spirals or other loss of control conditions should the pilot become distracted, disorientated or incapacitated during flight.

5. INSTRUMENTATION




FIGURE III — CESSNA TTX INSTRUMENT PANEL

6. ELECTRICAL POWER

- Belt Driven Alternator, 28 Volts, 70 amps max design rating
- Gear Driven Alternator, 28 Volts, 60 amps max design rating
- · Dual 28 Volt, 8.5 AH Batteries
- Dual Voltage Regulators, 28 Volt
- · Cross-Tie ability during alternator failure
- Cold Weather starting ability with either Battery or both Batteries
- Battery Charging Circuit

- Digital Display of the Battery amps, Alternator amps, and BUS voltages on MFD
- Overhead Master Switch Panel
- Dual 12 Volt, 2 amp Auxiliary Power Outlets
- · External Ground Power Plug

7. ENGINE INDICATING SYSTEM

- Ammeter
- Voltmeter
- · Manifold Pressure
- · Oil Pressure and Temperature
- · Tachometer Hour Recorder
- · Fuel Flow (GPH)
- · Cruise % Power

- LH/RH Fuel Quantity
- CHT Cylinder Head Temperature (6)
- EGT Exhaust Gas Temperature (6)
- TIT Turbo Inlet Temperature (2)
- Annunciation Caution and Warning Alerts (PFD)

8. ENVIRONMENTAL

- Integrated Environmental Control System (ECS)
- · Built in Oxygen (4 Places)
- · Individual Eyeball Vents
- · Floor Vent System

- Defrosting System
- Insulation / Soundproofing
- CO Detector/Pulse Oximeter

9. EXTERIOR

- Composite Structure
- LH and RH Gull Wing Style Doors w/Lock and Key
- Remote Keyless Entry with Automatic Light System
- Pneumatic Door Seal System
- LH Cargo Door, w/Lock and Key
- Fixed Landing Gear w/castering Nose Wheel
- Lighted Entrance Step
- Entry Assist and Exit Handles
- Main Gear Fairings
- Nose Gear and Strut Fairings
- Tie Down Rings, LH/RH Wing & Tail

- Jack Adapters (2)
- · Tube Type Tires
 - Nose 5.00 X 5
 - Mains 15x6.00 X 6
- Static Wicks (9)
- Emergency Exterior Door Release
- Rear Tinted Passenger Windows
- · Titanium Leading Edges

10. EXTERIOR LIGHTS

- · Position, LH/RH Wing Tip
- Wing Tip Strobe, LH/RH
- Taxi Lights, LH/RH Wing LED
- · Landing Light LED

11. FLIGHT CONTROLS

- Dual Hydraulic Brakes, Toe-Operated
- Parking Brake
- Dual Flight Controls Aileron/Elevator/Rudder
- LH/RH Control Sticks, All Purpose Pilot/Copilot
- · Speedbrake

- Go-Around Switch
- Electric Elevator/Aileron Trim
- · Rudder Hold System
- · Carbon Fiber Control Surfaces

12. FUEL SYSTEM

- Electric Auxiliary Fuel Pump
- Engine Driven Fuel Pump
- Integral Wet Wing Fuel Tanks, 102 Gal. Usable
- Fuel Selector Valve, Left//Right/Off

- Fuel Strainer, Incorporated with Fuselage Quick Drain
- Fuel Sampler Cup
- Fuel Vapor Suppression System

13. INTERIOR

- Intuitive design, comfortable seating and quality leathers. Four distinct, attractive interior selections available.
- Controllable Air Vents (6)
- · Reclining Front Sport Seats
- · Rear Seat and Seatback Cushion
- Pilot's and Copilot's Three Point Restraint System
- Rear Seat Passengers Three Point Restraint System
- Baggage Tie Downs and Restraining Net
- · Fire Extinguisher and Mounting Bracket
- · Pilot's Check List
- Pilot's Operating Handbook

- Instrument Panel Glareshield
- · Rosen Sun Visors
- · Center Console Storage Area
- Radio Call Plate
- Console Headset Hanger
- Rear Passenger Entry/Exit Assist Strap
- Pilot and Copilot Cupholders
- Aux Audio Input
- Headset with Microphone (1)

14. INTERIOR LIGHTING

- Pilot/Copilot Cabin Overhead Flip Lights
- Overhead Reading Lights (4)
- · Interior Lights Dimming Control
- LED Instrument Flood Bar
- Sub-Panel/Switch Panel Lighting (Backlighted)
 - Switch Panel
 - Flap Panel
 - · Position Bar
 - Slide Dimmer Labels
 - Master Switches
 - Circuit Breaker panel

- LED/LCD Lighted Glass Panel Displays:
 - 14.1" Primary Flight Display
 - 14.1" Multi-Function Display
 - Touch Screen Controller
 - Electronic Standby Flight Display

15. EXTERIOR STRIPING OPTIONS

Distinctive exterior styling in a variety of colors is provided.

16. FAMILIARIZATION TRAINING

Textron Aviation will offer to Purchaser one TTx familiarization training course ("Training") at no additional charge with the purchase of a new aircraft.

This Training will be furnished subject to the following terms:

- 1. Training will be conducted by Textron Aviation in Wichita, Kansas. For specific details regarding the course, course requirements, or completion options, please contact the Piston Training Department.
- 2. Training will consist of a ground course and will include flight familiarization in the Purchaser's aircraft or equivalent aircraft provided by Textron Aviation. Any additional ground or flight training or training for additional individuals will be Purchaser's responsibility and all expenses associated with the additional training and/or operation of the aircraft will be Purchaser's responsibility.
- 3. Textron Aviation cannot guarantee or otherwise ensure successful completion of the Training nor will Textron Aviation be responsible for competency of the trainee during and after training. Textron Aviation does not assume any responsibility or liability for Training delay or incompletion due to causes beyond its reasonable control.
- 4. All Training must be completed within twelve (12) months after aircraft delivery. No credit or financial adjustment will be allowed for any Training not used within the twelve (12) month time period.
- 5. Purchaser will be responsible for all expenses in conjunction with Training including but not limited to: food, lodging, transportation, car rental and all direct costs of operation including maintenance, fuel and insurance.
- 6. Purchaser will be responsible for providing an interpreter during the Training if the trainee is not conversant with the English language.
- 7. Purchaser hereby releases and will indemnify and save harmless Textron Aviation and the Piston Training Department, their respective officers, employees, agents and subcontractors (collectively "Indemnified Parties") against any and from all liability, claims, actions, and causes of action whatsoever, including any claims for damage to the aircraft, regardless of the cause (excluding, however, any liability of claim relating to manufacture of the aircraft and the negligent or willful misconduct of the Indemnified Parties) and all associated expenses (including reasonable attorney's fees) arising directly or indirectly out of or in connection with the use of the aircraft for the Training described above.
- 8. Purchaser's execution of the Aircraft Purchase Agreement constitutes Purchaser's acceptance of the foregoing terms and conditions.

17. LIMITED WARRANTIES

17.1 SELLER'S LIMITED WARRANTY

Seller warrants the aircraft and all parts included therein to be free from defects in material and workmanship under normal use and service for a period of twenty-four (24) months after delivery to the original retail purchaser or first user, except as hereafter noted. Engines, engine part accessories, avionics, batteries and propellers are specifically excluded from this limited warranty. Spare parts sold by Seller, excluding engine part accessories, avionics and batteries are warranted for six (6) months after installation, except as hereafter noted. Paint is covered by a separate one (1) year warranty as defined in 18.2.

Seller's obligation under this warranty is limited to repairing or replacing, at its option, with exchange, overhauled, or new parts, items found defective by Seller's examination which are returned at the owner's expense within the applicable twenty-four (24) or six (6) month period (for spare parts only) to any authorized Cessna Service Station. A new warranty period is not established for replacement parts. Replacement parts are warranted only for the remainder of the applicable twenty-four (24) or six (6) month original warranty period.

The repair or replacement of defective parts under this limited warranty will be made without charge to the owner for parts and labor for removal, installation and/or actual repair, except that the owner shall pay all import duties, and sales and use taxes on replacements and repairs.

This limited warranty does not apply to parts subjected to misuse, negligence, improper installation, accident, alteration; repairs not authorized by Seller; normal maintenance services (cleaning, control rigging, brake and other mechanical adjustments, maintenance inspections, etc.); replacement of service items (light bulbs, brake linings, filters, hoses, tires, cowl mounts, etc.); or to normal deterioration of soft trim or appearance items (upholstery, rubber-like items, etc.) due to corrosion, delamination, wear and exposure.

TO THE EXTENT ALLOWED BY APPLICABLE LAW, THIS LIMITED WARRANTY IS EXPRESSLY IN LIEU OF ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED IN FACT OR

BY LAW, INCLUDING ANY IMPLIED WARRANTY OF MER-CHANTABILITY OR FITNESS FOR A PARTICULAR PUR-POSE. THE REMEDIES OF REPAIR OR REPLACEMENT. AS ABOVE SET FORTH, ARE THE ONLY REMEDIES UN-DER THIS LIMITED WARRANTY. SELLER DISCLAIMS ANY **OBLIGATION OR LIABILITY WHETHER IN CONTRACT OR** IN TORT (AND WHETHER FOR NEGLIGENCE, STRICT LI-ABILITY, PRODUCT LIABILITY OR OTHERWISE), INCLUD-ING LOSS OF USE OF THE PRODUCT WARRANTED. LOSS OF TIME, INCONVENIENCE, COMMERCIAL LOSS OR ANY OTHER DIRECT, CONSEQUENTIAL, SPECIAL OR INCIDENTAL DAMAGES. THIS WARRANTY IS IN LIEU OF ANY OTHER OBLIGATION OR LIABILITY OF SELLER OF ANY NATURE WHATSOEVER BY REASON OF THE MANUFACTURE. SALE OR LEASE OF SUCH AIRCRAFT PRODUCTS AND SELLER NEITHER ASSUMES NOR AU-THORIZES ANYONE TO ASSUME FOR IT ANY OTHER **OBLIGATION OR LIABILITY IN CONNECTION WITH SUCH** AIRCRAFT PRODUCTS. COMPLIANCE AND/OR TIMELY COMPLIANCE WITH THIS LIMITED WARRANTY MAY BE AFFECTED IF EXPORT LICENSES ARE REQUIRED TO BE REQUESTED AND APPROVED BEFORE SPARE PARTS CAN BE SHIPPED TO CERTAIN FOREIGN COUNTRIES.

17.2 AIRCRAFT PAINT AND GRAPHICS

Seller endeavors to select and use high quality polyurethane paints from the leading manufacturers. Polyurethane paints and graphics are used because of their high gloss characteristics and ability to withstand dramatic temperature and pressure changes. The paint on your new aircraft will maintain its high gloss characteristics for an extended period of time provided it is cared for properly.

The painted exterior surfaces require an initial curing period which may be as long as ninety (90) days after the finish is applied. During this curing period, some precautions should be taken to avoid damaging the finish or interfering with the curing process. The finish should be cleaned only by washing with clean water and mild soap, followed by a water rinse and drying with a cloth or chamois. Do not use polish or wax, which would exclude air from the surface, during this ninety (90) day curing period. Once the finish has cured

completely, it may be waxed with a good automotive wax, but power buffing should be avoided to prevent damage to the paint surface.

Normal paint maintenance will include but is not limited to; touchup of abrasion and wear of the paint on screws heads, around access panels, wing leading edges, vertical and horizontal stabilizer leading edges, windshield retainers and other leading edge surfaces including parts on the landing gear subject to damage or erosion from airborne particles. Proper maintenance includes keeping surfaces clean, polished, and touching up chipped or eroded areas to prevent further damage and corrosion.

Paint and graphics warranty applies only to defects in material and workmanship for a period of one (1) year from the Warranty Start Date. Deterioration of paint and graphics due to normal wear, exposure, or improper care is not covered by the warranty. If proper paint maintenance procedures have been followed and paint peeling, blistering or cracking is evident in areas other than immediate leading edge surfaces, warranty consideration may be requested thorough a Cessna Service Station.

Generally speaking, warranty repair of paint is confined to a limited surface area. Workmanship or material defects can usually be identified to localized surface areas that were improperly prepared prior to paint application, or to areas where the paint or subsurface primer has been improperly applied.

Complete strip and repaint of an entire airplane can ONLY be authorized if there is evidence of paint defects on several major surface areas of the aircraft. Contact your Cessna Field Service Engineer concerning paint defects on any major surface of an aircraft.

17.3 MCCAULEY PROPELLER SYSTEMS STANDARD LIMITED WARRANTY

McCauley Propeller Systems, a Division of Textron Aviation, Wichita, Kansas, U.S.A., expressly warrants new products produced and sold by McCauley to be free from defects in material and workmanship under normal use and service for

a period of thirty-six (36) months after delivery to the original retail purchaser or until the expiration of the maximum hours of use or calendar limits for overhaul published by McCauley for the subject product, whichever occurs first.

McCauley's obligation under this limited warranty is limited to repairing or replacing, at its sole option, any propeller, propeller parts, governor or governor parts determined by McCauley to have been defective. The repair or replacement of defective parts will be made without charge to the owner for parts, or labor for removal and installation, except export/import duties, and/or sales or use taxes, if any, which are solely the owner's responsibility. McCauley will warrant a part replaced pursuant to this limited warranty under the same terms as the original part for the remainder of the applicable warranty period of the original part. This limited warranty is not intended to and does not cover the costs of normal maintenance or overhaul.

In addition, McCauley will repair or replace, at its option, any propeller, propeller parts, governor, or governor parts requiring replacement due to manufacturing defect if found at or before the first recommended overhaul interval as described in McCauley published service information. This first overhaul coverage does not include labor, standard overhaul replacement parts, parts repairable via published service information (re-plating, painting, etc.), other costs associated with the propeller or governor overhaul, or export/ import duties, and/or sales or use taxes, nor does it apply to defects found after McCauley published overhaul hour or calendar limits. The provisions of this limited warranty do not apply to: any McCauley parts which have been subject to misuse, negligence or accident or which have been repaired or altered in any way that, in the sole judgment of McCauley, adversely affects their performance, stability or reliability; to normal maintenance services (such as cleaning, mechanical adjustments and maintenance inspections); to the replacement of service items made in connection with normal maintenance; to normal deterioration of soft trim and appearance items (such as paint and rubber-like items) due to wear and exposure; to propellers, governors or parts found defective beyond the McCauley recommended overhaul period; or to parts which have been improperly

installed by entities other than McCauley and/or McCauley Authorized Service Centers.

The McCauley limited warranty is void on any new or remanufactured product installed, without McCauley's prior written approval, on a nontype certificated engine, or on any engine which has received an overhaul or modification which is not approved by the engine manufacturer and that results in a change to the vibratory environment of the engine such as, but not limited to, an alteration of horsepower, operating RPM, crankshaft damper configuration, compression ratio, magneto timing, camshaft design, or any other overhaul or modification not expressly approved by the original engine manufacturer. McCauley limited warranty is also void on any McCauley product shipped new from the factory or distributor in dis-assembled state, then later reassembled by an unauthorized party. Parties authorized to re-assemble factory-new product must have specific written permission from McCauley to do so, otherwise all McCauley warranty on the affected unit is void. No McCauley warranty coverage is offered for leakage on product assembled outside McCauley, regardless of the assembling party.

To the extent allowed by applicable law, THIS WARRANTY IS EXPRESSLY IN LIEU OF ANY OTHER WARRANTIES. EXPRESSED OR IMPLIED IN FACT OR BY LAW, INCLUD-ING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE REM-EDIES OF REPAIR OR REPLACEMENT SET FORTH HERE-IN ARE THE ONLY REMEDIES UNDER THIS WARRANTY. McCAULEY DISCLAIMS ANY OBLIGATION OR LIABILITY. WHETHER IN CONTRACT OR IN TORT, INCLUDING LOSS OF USE OF THE PRODUCT WARRANTED, LOSS OF TIME, INCONVENIENCE. LOSS OF PROFITS, COMMERCIAL LOSS OR ANY OTHER DIRECT, CONSEQUENTIAL, SPE-CIAL OR INCIDENTAL DAMAGES. THIS WARRANTY IS IN LIEU OF ANY OBLIGATION OR LIABILITY ON THE PART OF McCAULEY TO ANYONE OF ANY NATURE WHATSO-**EVER BY REASON OF THE MANUFACTURE, SALE, LEASE** OR USE OF THE WARRANTED PRODUCTS AND MCCAU-LEY NEITHER ASSUMES NOR AUTHORIZES ANYONE TO ASSUME FOR IT ANY OTHER OBLIGATION OR LIABILITY IN CONNECTION WITH SUCH WARRANTED PRODUCTS.

THE UNITED NATIONS CONVENTION ON CONTRACTS FOR THE INTERNATIONAL SALE OF GOODS, 1980, AND ANY SUCCESSOR THERETO, IS EXPRESSLY EXCLUDED FROM THIS WARRANTY.

17.4 OEM AIRCRAFT ENGINE WARRANTY

This Premium Original Equipment Manufacturer (OEM) Aircraft Engine Warranty provides special warranty coverage for new aircraft engines supplied by CMI (Continental Motors, Inc.) to certain OEMs (original equipment manufacturers) for use on newly manufactured aircraft pursuant to contract with such manufactures. Each engine is warranted as follows:

1. (a) For a period of thirty-six (36) months or until the expiration of CMI's recommended Time Between Overhaul (TBO), whichever occurs first, after the warranty activation date CMI will, except as excluded below, at its option repair or replace on an exchange basis any engine, component or part manufactured or supplied by it which within the applicable thirty-six (36) month or TBO period is returned to a CMI representative authorized to handle the engine covered by this warranty and which upon examinationis found to the satisfaction of CMI to be defective in material or workmanship. The warranty activation date is the aircraft in-service date or the 180th day after CMI's invoice date, whichever occurs first. After the expiration of the first twenty-four (24) months of the applicable thirty-six (36) month period described above, CMI will not assume any responsibility for the repair or replacement of the starter or alternators, which have been purchased by CMI from a manufacturer as a complete and finished unit and included in the assembly of an engine without altering the unit. After the expiration of the initial twenty-four (24) month period, accessories will be subject to such warranty coverage as may be provided by their manufacturer.

(b) CMI will pay for reasonable labor costs associated with repairs or replacements under paragraph 1(a) of this warranty and for "troubleshooting" costs associated with identifying the need for such repairs or replacements, when coordinated through an authorized CMI representative. The amount of repair and replacement labor costs allowed will

be in accordance with the latest revision of the warranty labor allowance schedule, form X30552, published by CMI. The amount of "troubleshooting" costs allowed will be the reasonable costs under the circumstances of identifying the need for such repairs or replacements, but in no event will the "troubleshooting" costs allowed exceed fifteen percent (15%) of the labor costs associated with such repairs or replacements allowed by CMI. No "troubleshooting" cost allowance will be made where the need for repairs or replacements is identified in the course of overhaul, routine maintenance or on the basis of an obvious defect.

- (c) CMI will pay transportation costs in connection with the repair or replacement of any engine, component or part found to the satisfaction of CMI to be defective in material or workmanship under paragraph 1(a) of this warranty. The engine, component or part must be shipped prepaid to the repair facility designated by CMI. Transportation cost reimbursement for engines will be the actual surface freight charge or \$500.00, whichever is less. Engines must be described on the bill of lading as follows: "Internal combustion engine, other than Radial Cyl RVNX \$5.00ft. Transportation cost reimbursement for components or parts will be the actual surface freight charge for shipment of the component or part or the currently published UPS surface rate schedule, whichever is less.
- 2. CMI reserves the right at its option to replace any defective engine or part with either a new or rebuilt engine or part.
- 3. Repair or replacement of any engine or part under this warranty will not extend the period of warranty coverage set forth above.
- 4. This warranty applies only to engines in which parts manufactured or supplied by CMI or parts manufactured pursuant to an FAA Parts Manufacturer Approval have been used and nothing contained herein should be construed as a warranty by CMI of any engine or part not manufactured or supplied by CMI. CMI accepts no responsibility for the failure of any engine or part which it does not manufacture or supply or damage resulting from such failure.

- 5. This warranty applies only to engines which have been installed by the Original Equipment Manufacturer on a newly manufactured aircraft and have been inspected and maintained after original delivery in accordance with the instructions for continued airworthiness, including compliance with all applicable service bulletins issued by CMI, the aircraft manufacturer or any accessory or component manufacturer. Performance of recommended inspections and maintenance must be documented by appropriate logbook entries and the logbook must accompany any engine being returned for warranty consideration.
- 6. This warranty does not apply to any engine, component or part manufactured or supplied by CMI which (1) has been subject to misuse, neglect or accident; (2) has been installed, repaired, maintained or altered in any way that in the judgment of CMI has adversely affected the condition of the engine; (3) has been operated inconsistent with CMI and aircraft manufacturer recommendations and limitations (such as, but not limited to engine RPM, temperature, manifold pressure, fuel flow and proper system adjustment) or (4) has been changed from its original FMcertificated configuration.
- 7. CMI will not be responsible for repair or replacement of any engine, component or part damaged or worn as a result of corrosion, pre ignition/detonation, operation with non calibrated engine gauges, improper fuel system adjustment, non CMI approved fuel and oil grades or additives or installation of parts, components or accessories that alter the engine's original type design.
- 8. The provisions of this warranty do not apply to normal maintenance service (such as engine tune-ups, adjustments, inspections, engine or component overhaul resulting from time between overhaul (TBO) recommendations, etc.) or to the replacement of normal service items (such as spark plugs, filters, hoses, belts, etc.).
- 9. CMI reserves the right to change any engine or part specifications or prices without incurring any responsibility with regard to engines or parts previously sold or replaced.

10. THIS WARRANTY IS A WARRANTY TO REPAIR OR RE-PLACE AND NOT A WARRANTY OF THE CONDITION OR FUTURE PERFORMANCE OF THE PRODUCTS WHICH IT COVERS. THERE ARE NO OTHER WARRANTIES, EX-PRESSED OR IMPLIED. SPECIFICALLY. BUT WITHOUT LIMITATION, THERE ARE NO IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL CMI BE RESPONSIBLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAG-ES ARISING OUT OF ANY DEFECT IN ANY ENGINE OR PART, ARISING OUT OF THE FAILURE OF ANY ENGINE OR PART TO OPERATE PROPERLY, OR ARISING OUT OF ANY BREACH OF THE WARRANTY MADE HEREIN. NO PERSON IS AUTHORIZED TO GIVE ANY OTHER WAR-RANTY OR TO ASSUME ANY ADDITIONAL OBLIGATION OR LIABILITY ON BEHALF OF CMI.

17.5 GARMIN AVIONICS - LIMITED WAR-RANTY

Aircraft OEM-Installed Avionics 2-Year Limited Warranty Policy

This GARMIN Product is warranted to be free from defects in materials or workmanship for two years from the date of warranty activation. Within this period, GARMIN International, Inc. will at its sole option, repair or replace any components which fail in normal use. Such repairs or replacement will be made at no charge to the customer for parts or labor, provided that the customer shall be responsible for any transportation cost. This warranty does not cover failures due to abuse, misuse, accident or unauthorized alteration or repairs.

THE WARRANTIES AND REMEDIES CONTAINED HEREIN ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED OR STATUTORY, INCLUDING ANY LIABILITY ARISING UNDER ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, STATUTORY OR OTHERWISE. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, WHICH MAY VARY FROM STATE TO STATE.

IN NO EVENT SHALL GARMIN BE LIABLE FOR ANY INCIDENTAL, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, WHETHER RESULTING FROM THE USE, MISUSE OR INABILITY TO USE THIS PRODUCT OR FROM DEFECTS IN THE PRODUCT. Some states do not allow the exclusion of incidental or consequential damages, so the above limitations may not apply to you.

GARMIN retains the exclusive right to repair or replace the product or offer a full refund of the purchase price at its sole discretion. SUCH REMEDY SHALL BE YOUR SOLE AND EXCLUSIVE REMEDY FOR ANY BREACH OF WARRANTY.

To obtain warranty service, contact your local GARMIN authorized Service Center. For assistance in locating a Service Center near you, call GARMIN Customer Service at one of the numbers shown below.

GARMIN International

1200 East 151st Street

Olathe, Kansas 66062, U.S.A.

Toll free: 1-800-800-1020

Phone: 1-913-397-8200

FAX: 1-913-397-0836

GARMIN (Europe) Ltd.

Unit 5, The Quadrangle

Abbey Park Industrial Estate

Romsey, SO51 9AQ, U.K.

Phone: 44-1794-519944

FAX: 44-1794-519222

Visit our web site at: www.garmin.com



TEXTRON AVIATION

U.S. + 1.844.44.TXTAV | INTERNATIONAL +1.316.517.8270 | TXTAV.COM

© 2017 Textron Aviation Inc. All rights reserved. Product names, company names, trademarks, service marks, trade names, trademark designs and logos of Textron Aviation Inc. or its subsidiaries (collectively "Marks"), whether or not appearing in large print, italics, or with trade marking symbols, are Marks of Textron Aviation Inc. or an affiliate and may be registered in the United States. Third party marks whether or not appearing in large print, italics, or with trade marking symbols are marks of others.

January 2017 S&D-PISTON-T240-0117